


NetBox – Pregelged Produktov



Produkti – Oprema NetBox



Značilnosti	NB2210	NB2240	NB2241	NB234x	NB2541
GSM, GPRS, EDGE	✓	✓	✓	✓	✓
UMTS, HSPA	--	--	--	7.2 Mbps UL 2.0 Mbps DL	7.2 Mbps UL 2.0 Mbps DL
SIM Slots	1	2	2	2	2
Ethernet Ports	1	4	4	4	4
COM Ports	1	1	1	1	1
WLAN Support	--	--	--	--	✓
Integrated GPS Receiver	–	--	✓	opt	opt
Digital In/out	2/2	--	--	--	--
Temperature range	commercial	industrial	industrial	industrial	industrial

Produkti – Centralni NetBox Office Router



Features	NC1000
OpenVPN Server	✓
Prekonfigurirano za uporabo z NetBox Wireless Routers	✓
Grafični vmesnik za neposredno administracijo	✓
Enostaven za instalacijo in konfiguracijo	✓

NB2210 Zmožnosti opreme

- ✧ **EDGE - Quadband Router**
- ✧ **1 Ethernet vmesnik**
- ✧ **1 Serijski vmesnik RS 232 / RS 485**
- ✧ **2 Digitalna vhoda**
- ✧ **2 Digitalna izhoda**
- ✧ **Antenski vmesnik SMA**
 - Antena naprave
 - Zunanja antena (planar antena)
- ✧ **Montažni adapter za**
 - šino (DIN rail)
 - Steno
- ✧ **XScale Aplikacijski Procesor**
- ✧ **Ethernet do GSM Router-ja**
 - Podpira CSD, GPRS, EDGE, Quadband
 - Dial-out (CSD, GPRS, EDGE) and Dial-in (CSD)
 - Routing, NAT
- ✧ **VPN Podpora**
 - OpenVPN, IPSec, PPTP
- ✧ **Integriran Firewall, Access Control Lists**
- ✧ **Remote Firmware nadgradnja**
- ✧ **DynDNS Client**
- ✧ **Upravljanje z dogodki in alarmi**
- ✧ **COM-Server podpora**
- ✧ **Modbus-RTU Gateway**
- ✧ **Web Manager**



NB224x Zmožnosti opreme

- ✧ **EDGE - Quadband Router**
- ✧ **1 Serijski vmesnik RS 232 / RS 485**
- ✧ **Integriran 4-port Ethernet Switch**
 - 10/100 BaseTX
- ✧ **Razširjeno temperaturno območje**
 - -20°C do +70°C
- ✧ **Integriran GPS**
 - Pozicija v NMEA formatu
- ✧ **XScale Aplikacijski Procesor**
- ✧ **Antenski vmesnik SMA**
 - Antena naprave
 - Zunanja antena (planar antena)
- ✧ **Ethernet do GSM Router**
 - Support for CSD, GPRS, EDGE, Quadband
 - Dial-out (CSD, GPRS, EDGE) and Dial-in (CSD)
 - Routing, NAT
- ✧ **VPN podpora**
 - OpenVPN, IPSec, PPTP
- ✧ **Integriran Firewall**
- ✧ **Remote Firmware nadgradnja**
- ✧ **DynDNS Client**
- ✧ **Upravljanje z dogodki in alarmi**
- ✧ **COM-Server podpora**
- ✧ **Modbus-TCP do Modbus-RTU Gateway**
- ✧ **Upravljanje z Web vmesnikom**



NB234x Zmožnosti opreme

- ✧ **UMTS/HSDPA/HSUPA - Quadband Router**
 - 7.2 Mbps downlink and uplink rates up to 2 Mbps
- ✧ **1 Serijski vmesnik RS 232 / RS 485**
- ✧ **Integriran 4-port Ethernet Switch**
 - 10/100 BaseTX
- ✧ **Razširjeno temperaturno območje**
 - -20°C do +70°C
- ✧ **XScale Aplikacijski Procesor**
- ✧ **Integriran GPS**
 - Pozicija v NMEA formatu
- ✧ **Antenski vmesnik SMA**
 - Antena naprave
 - Zunanja antena (planar antena)
- ✧ **Ethernet do GSM Router**
 - Support for CSD, GPRS, EDGE, Quadband
 - Dial-out (CSD, GPRS, EDGE) and Dial-in (CSD)
 - Routing, NAT
- ✧ **VPN podpora**
 - OpenVPN, IPSec, PPTP
- ✧ **Integriran Firewall**
- ✧ **Remote Firmware nadgradnja**
- ✧ **DynDNS Client**
- ✧ **Upravljanje z dogodki in alarmi**
- ✧ **COM-Server podpora**
- ✧ **Modbus-RTU Gateway**
- ✧ **Upravljanje z Web vmesnikom**



NB254x Zmožnosti opreme

- ✧ **UMTS/HSDPA/HSUPA - Quadband Router**
 - 7.2 Mbps downlink and uplink rates up to 2 Mbps
- ✧ **1 Serijski vmesnik RS 232 / RS 485**
- ✧ **Integriran 4-port Ethernet Switch**
 - 10/100 BaseTX
- ✧ **Razširjeno temperaturno območje**
 - -20°C do +70°C
- ✧ **XScale Aplikacijski Procesor**
- ✧ **Integriran GPS**
 - Pozicija v NMEA formatu
- ✧ **Antenski vmesnik SMA**
 - Antena naprave
 - Zunanja antena (planar antena)
- ✧ **Ethernet do GSM Router**
 - Support for CSD, GPRS, EDGE, Quadband
 - Dial-out (CSD, GPRS, EDGE) and Dial-in (CSD)
 - Routing, NAT
- ✧ **VPN podpora**
 - OpenVPN, IPSec, PPTP
- ✧ **Integriran Firewall**
- ✧ **Integriran WLAN 802.11 a/b/g**
- ✧ **Remote Firmware nadgradnja**
- ✧ **DynDNS Client**
- ✧ **Upravljanje z dogodki in alarmi**
- ✧ **COM-Server podpora**
- ✧ **Modbus-RTU Gateway**
- ✧ **Upravljanje z Web vmesnikom**

